

NANLITE


USER MANUAL

LT-80/LT-120 Softbox

Guangdong NanGuang Photo&Video Systems Co., Ltd


LT-80/LT-120 Softbox

■ Product Diagram




LT-80/LT-120 softbox, suitable for light fixtures with a standard Bowens mount.


Usage




1. Align the softbox's supporting rods, then attach the fixed seat to the circular Velcro center.




2. Gently pull the softbox's cloth over the rods, using your palm to press the center mount down.




3. Grip the mount and pull up the self-locking arms, until all arms are engaged on all rods.
- NOTE: Please do not use excessive force when pulling upward, to avoid any deformation of the softbox.




4. Pull up two hooks from the bottom of the softbox, and hook both sides of fixing rings separately.




5. Attach the Velcro on the softbox to secure flaps shut.




6. Attach the blackout fabrics on the outside Velcro of the softbox.




7. Make sure the mount points of the softbox line up with the slots on the light fixture, insert and rotate the softbox in the locking direction as showed in diagram.



8. When removing the softbox, push and hold the release button on the fixture until able to rotate the softbox and you are able to remove it from fixture.



9. Remove the hook from both sides of the fixing ring.



10. Push the release button and loosen the self-locking joint on the softbox.

Version:V1 2020-01-11

NANLITE

☎ +86-754-85751187

☎ +86-754-85300887

✉ service@nanlite.com

📍 Zhanglin, 324, Dongli Chenghai Shantou Guangdong China

www.nanlite.com